

# METHANE FROM FLARING TOOLKIT



## Flow: Coriolis Flow Meter

How do I measure flow? > Flow: Coriolis Flow Meter

Coriolis meters measure the mass flowrate of a stream by making use of the Coriolis effect.

### How it Works

Fluid flows through a tube which is forced to vibrate in a harmonic oscillation by an external driver. The tube can be straight or 'U' shaped.

The momentum of the fluid causes the already-oscillating tube to vibrate in a slightly different way. This change in the mode of vibration is proportional to the mass flow rate of the fluid flowing through the tube and can be measured with external . The mass flow rate of the fluid can then be determined.

IMAGE TO FOLLOW

## Advantages

- High pressure drop at high flow rates
- High CAPEX vs strength to handle upstream / downstream the device location
- Size limitation (16" / 400mm largest diameter currently)
- Direct measure of mass flow and density with a single device
- Can have difficulty measuring the flow rate of low pressure gas
- It can be subject to issues with piping stress and vibration
- Due to these limitations, it has limited applicability on main flare headers

## Go Deeper

- [Emerson](#)
- [Krohne](#)
- [Endress & Hauser](#)

## Case study

No case study available at this time.

---

## How do I measure flow?



Flow: Ultrasonic & Sonar Clamp-on Flow Meters



Vortex Flow Meter



Flow: Ultrasonic Flow Meter



L2F Optical Flow Meter



Flow: Scintillation Optical Flow Meter